

Safety Data Sheet has been compiled according to Regulation (EC) No 1907/2006 (REACH), Annex II

Revision date: Previous version:

ı: ·

1.11.2015

Valid from: 1.11.2015

MATERIAL SAFETY DATA SHEET "EPOKATE CHEM" (A)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

EPOKATE CHEM (A), molecular wight <700

Identified uses:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Epokate CHEM (A) is used in two-component epoxy-resin flooring systems. It is intended for proffesional use at construction sites and for conditions which need to endure heavy load of wearing or friction (e.g. production

halls, warehouses, airplane hangars, garages, laboratories, farms).

1.3 Details of the supplier of the safety data sheet:

Manufacturer/Distributor: Epokate OÜ

<u>Address:</u> Savimäe 5, Vahi küla, Tartu vald, 60534, Tartumaa, Estonia

<u>Telefoninumber:</u> + 372 50 83 751 <u>E-posti aadress:</u> info@epokate.ee

L.4 Emergency telephone number:

<u>Poisoning information centre:</u> 16662 (24-hour emergency response hotline)

<u>Rescue:</u> 112 (24-hour emergency response hotline)

SECTION 2: Hazards identification

Ckassification & labelling according to REGULATION (EC) No 1272/2008

2.1 Classification of the substance or mixture:

Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Acute Tox. 4; H312+H332

2.2 Label elements:

Hazard pictograms:





Signal word: WARNING

<u>Hazard statements:</u> H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

 $\mbox{H411}$ - \mbox{Toxic} to a quatic life with long lasting effects.

H312 -Harmful in contact with skin.

H332 - Harmful if inhaled.

EUH210 - Safety data sheet available on request.

<u>Precautionary statements:</u> P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P273 - Avoid release to the environment.



P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

Full text of H-, P- and EUH phrases: see SECTION 16

2.3 Other hazards:

The mixture does not contain PBT or vPvB substances according to REGULATION (EC) No 1907/2006 Annex XIII criteria

SECTION 3: Composition/information on ingredients

3.1 **Substances:** not applicable, see point 3.2

3.2 Mixtures:

Description of the mixture:

Mixture is used as component A for two-component epoxy flooring systems.

Prior to use mix together with epoxy hardener (component B)

Hazardous ingredients:

| Substance name | CAS no. | REACH registration number | Concentration % | Classification according to REGULATION (EC) No. 1272/2008 | |
|--|------------|---------------------------|-----------------|--|--------------------------------------|
| Reaction product. bisphenol-A- (epichlorhydrin) and epoxy resin (number average molecular weight <= 700) | 25068-38-6 | 01-2119456619-26 | 45-55 | Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 Aquatic Chronic 2 | H315 H317 H319 H411 |
| Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol | 9003-36-5 | 01-2119454392-40 | 35-45 | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 |
| 1,4-bis(2,3 epoxypropoxy)butane butanedioldiglycidyl ether | 2425-79-8 | 01-2119494060-45 | <10 | Acute Tox. 4 Acute Tox. 4 Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 | H312 H332 H315 H317 H319 |
| Benzyl alcohol | 100-51-6 | 01-2119492630-38 | <5 | Acute Tox. 4 Acute Tox. 4 | H302 H332 |

Full text of H- and EUH-phrases: see SECTION 16

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section. Occupational exposure limits, if available, are listed in SECTION 8.

SECTION 4: First aid measures

4.1 Description of fist aid measures:

Get medical attention if adverse health effects persist or are severe. Inhalation:

> Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Skin contact:

Get medical attention if symptoms occur

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to

rinse for at least 10 minutes. Get medical attention.

Eye contact:



Do not induce vomiting unless directed to do so by medical personnel.

Maintain an open airway. Seek immediate medical attention.

No action shall be taken involving any personal risk or without suitable

Self-protection of the first aider: training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion:

Irritating to eyes. Adverse symptoms may include irritation, watering,

reddness.

Inhalation: No known significant effects or critical hazards. No specific data on

symtoms.

Skin contact: Irritating to skin. May cause sensitation by skin contact. Adverse effects may

include irritation, redness.

Ingestion: Irritating to mouth, throat and stomach. No specific data on symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Treat symptomatically. Contact poison treatment specialist immediately if

large quantities have been ingested or inhaled.

<u>Special treatment:</u> No specific treatment.

SECTION 5: Fire fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: CO2, extinguishing powder or water spray (fog).

Water with a full water jet.

Unsuitable extinguishing media:

5.2 Special hazards arising from the substance or mixture:

In a fire or if heated, the pressure increase may cause the container to burst. Decomposition product may include carbon dioxide, carbon monoxide,

halogenated compounds.

5.3 Advice for firefighters:

Special protective actions for

fire-fighter:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented

from being discharged to any waterway, sewer or drain.

Special protective equipment

for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will

provide a basic level of protection for chemical incidents.

Additional information: In case of fire cool endangered containers with water.



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up:

Small spill:

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill:

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 References to other sections:

See **Section 1** for emergency contact information. See **Section 8** for information on appropriate personal protective equipment. See **Section 13** for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Conditions for safe storage, including any incompatibilities

Protective measures:

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Avoid release to the environment. Refer to special instructions/safety data sheet. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Special end use(s)

Recommendations: <u>Industrial sector specific</u> Not available

Not available solutions:

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No exposure limit value known. Reccommended monitoring procedures: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents

for methods for the determination of hazardous substances.

Occupational exposure limits:

No DELs available Derived effect levels:

Predicted effect concentrations: No PECs available

8.2 Exposure controls

Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures:

Safety eyewear complying with an approved standard should be used when Eye/face protection: a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of Hygiene measures: the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before

reusing.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk Hand protection: assessment indicates this is necessary. Reference number EN 374. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves. (0,4 mm), breakthrough time 30 min.



Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use barrier skin cream.

Appropriate footwear and any additional skin protection measures should Other skin protection: be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection: No special measures required

Environmental exposure

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid Colour Yellowish Odour Faint odour Not available Odour threshold pН Not available

Melting

point/freezing point

Not available

Initial boiling point

and boiling range

Not available

Flash point >200°C

Evaporation rate Not available

Flammability (solid,

gas)

Not available

Burning time Not available Not available Burning rate

Upper/lower

flammability or

Not available

explosive limits

Not available Vapour pressure Vapour density Not available

Density 1000 - 1200 kg/m³ (25°C)

Relative density Not available Solubility(ies) Not available

Partition coefficient:

noctanol/water

Not available

Auto-ignition

temperature

Not available

Decomposition

Not available

temperature Viscosity 0.4 - 1.0 Pa.s (+25°C)

Explosive properties Not available

Not available

Oxidising properties



9.2 Other information:

No additional information

SECTION 10: Stability and reactivity

10.1 Reactivity:

No specific test data related to reactivity available for this product or its

ingredients.

10.2 Chemical stability:

Product is stable at normal conditions.

10.3 Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not

occur.

10.4 Conditions to avoid:

No specific data.

10.5 Incompatible materials:

No specific data.

10.6 Hazardus decomposition products:

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

reaction product. bisphenolA-(epichlorhydrin) and epoxy resin (number

average molecular weight <= 700), LD50 Dermal >2000 mg/kg

Acute toxicity:

reaction product. bisphenolA-(epichlorhydrin) and epoxy resin (number

average molecular weight <= 700), LD50 Oral >2000 mg/kg

<u>Irritation/Corrosion:</u> Long-term repeated contact may cause irritation

<u>Sensitisation:</u> May cause allergic reactions

Mutagenicity: Not available

Agency of Research on Cancer (IARC) has not identified DGEBPA (Bisphenol

A diglycidyl ether) as a carcinogen

Reproductive toxicity: Not available

Information on the likely routes

of exposure:

Not available

11.2 Other information:

Not available

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic organisms. The mixture has not been tested, statements are derived from similar products

reaction product. bisphenolA-(epichlorhydrin) and epoxy resin (number average molecular weight <= 700), LC50 fish <=10 mg/l

reaction product. bisphenolA-(epichlorhydrin) and epoxy resin (number average molecular weight <= 700), LC50 organisms in water treatment <=10 mg/l

12.2 Persistence and degradability

Not available



12.3 Bioaccumulative potential

Not availabe

12.4 Mobility in soil

Not available

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

No known significant effects or critical hazards

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Before disposal see information in SECTION 7 and SECTION 8. The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at

all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Yes. Waste code 08 01 11* - waste paint and varnish containing organic

solvents or other dangerous substances (EU waste catalogue)

Completely emptied packaging or practically empty packaging containing dried/cured residues, once relieved of all pressure can be disposed of as nonhazardous waste. Packaging may still contain hazardous residues and disposal should be undertaken by a licensed waste contractor. Any disposal

practice must be in compliance with local and national laws and regulations.

Hazardous waste:

Methods of disposal:

Packaging:

SECTION 14: Transport information

14.1 UN number: UN 3082

14.2 UN proper shipping name: Environmentally hazardous substances, liquid, n.o.s. Epoxide resin

14.3 Transport hazard class(es): Ш 14.4 Packaging group:

14.5 Environmental hazards: see SECTION 6 14.6 Special precautions for user: see SECTION 7 ja 8

14.7 Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemidals -**REACH**

Annex XIV - List of substances subject to authorisation

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Regulation (EC) 1272/2008 on the classification, labelling and packaging (CLP) of substances and mixtures -CLP

Hazardous waste ja transport regulations



15.2 Chemical Safety Assessment

A chemicals Safety Assessment has not been done

SECTION 16: Other information

16.1 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008:

| Classification according to Regulation (EC) | Classification procedure | |
|---|--------------------------|--|
| Nr 1207/2008 | (Art. 9 CLP regulation) | |
| Skin Irrit. 2; H315 | Expert judgement | |
| Skin Sens. 1; H317 | Expert judgement | |
| Eye Irrit. 2; H319 | Expert judgement | |
| Acute Tox. 4; H312+H332 | On basis of test data | |
| Aquatic Chronic 2; H411 | Calculation method | |

16.2 Abbreviations and acronyms:

Pictograms:





H-phrases:

Skin Irritant Category 2; H315 Skin Sensitation Category 1; H317 Eye Irritatn Category 2; H319 Aquatic Chronic Category 2; H411 Acute Toxicity Category 4; H312+H332

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

H312 -Harmful in contact with skin.

H332 - Harmful if inhaled.

EUH210 - Safety data sheet available on request.

P-phrases:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local/regional/national/international